

REAP 1.9.3

Users guide

S. Antusch, J. Kersten, M. Lindner, M. Ratz and M.A. Schmidt

September 20, 2014

This is an users guide of the **REAP** add-on for Mathematica. We describe the functions which allow to calculate the evolution of the neutrino mass matrix in different models (SM, MSSM, 2HDM). There is a reference of the most important functions. Besides this function reference there is a description of the installation procedure, a short HowTo and a section about frequently asked questions.

Contents

1	Introduction	3
2	Installation	3
2.1	Automatic Installation under UNIX/Linux	3
2.2	Semi-Automatic Installation under UNIX/Linux	3
2.3	Installation by Hand	4
3	First Steps	4
4	Reference	5
4.1	Implementation details	5
4.1.1	RGEAdd	5
4.1.2	RGEGetOptions	6
4.1.3	RGEGetParameters	6
4.1.4	RGEGetSolution	6
4.1.5	RGEGetTransitions	6
4.1.6	RGEReset	6
4.1.7	RGESetInitial	6
4.1.8	RGESetOptions	6
4.1.9	RGESolve	7
5	Models	7
5.1	Standard Model (SM)	7
5.1.1	RGESM	7
5.1.2	RGESMON	9
5.1.3	RGESMDirac	9
5.2	Minimal Supersymmetric Standard Model (MSSM)	9
5.2.1	RGEMSSM	9

5.2.2	RGEMSSMON	11
5.2.3	RGEMSSMDirac	11
5.3	Two Higgs Doublet Model (2HDM)	12
5.3.1	RGE2HDM	12
5.3.2	RGE2HDMON	14
5.3.3	RGE2HDMDirac	15
6	Frequently Asked Questions and their Answers (FAQ)	15
6.1	Physics Questions	15
6.1.1	How can I have more or less than 3 right-handed neutrinos?	15
6.1.2	How are neutrino mixing parameters defined above the see-saw scale?	15
6.1.3	How can I obtain the CP asymmetry for leptogenesis?	15
6.2	Implementation Details	15
6.2.1	“SM” added, but RGESetOptions does not have any effect.	15
6.2.2	I want to change the Standard Model Higgs vev in all EFT’s.	16
6.2.3	RGEAll does not work in “*ON”	16
6.2.4	Sometimes there are errors when RGESolve is executed twice.	16
6.2.5	RGEGetSolution does not return the leptogenesis parameters at the lightest right-handed neutrino mass.	16
6.2.6	What will happen, if RGEye, RGEy μ and RGEy τ are passed to RGESetInitial in addition to the matrix RGEYe?	16
6.2.7	Changing the value of RGE θ_{12} doesn’t have any effect.	16

The package REAP is written for Mathematica 5 and is distributed under the terms of GNU Public License <http://www.gnu.org/copyleft/gpl.html>

1 Introduction

The REAP (**R**enormalization group **E**volution of **A**ngles and **P**hases) package is a Mathematica package to solve the renormalization group equations (RGE) of the quantities relevant for neutrino masses, for example the dimension 5 neutrino mass operator, the Yukawa matrices and the gauge couplings. So far, the β -functions for the standard model (SM), the minimal supersymmetric standard model (MSSM) and the two higgs doublet model with \mathbb{Z}_2 symmetry (2HDM) with and without right-handed neutrinos are implemented. Heavy degrees of freedom such as singlet neutrinos can be integrated out automatically at the correct mass thresholds which are determined by a fixed-point iteration. Thus the evolution is described by several effective theories. In addition all models are implemented with Dirac neutrinos. By means of the `MixingParameterTools` package, the calculated running of the neutrino mass matrix can be translated into the running of the mixing parameters and the mass eigenvalues.

If you would like to refer to REAP in a publication or talk, please cite the accompanying paper hep-ph/0501272.

2 Installation

2.1 Automatic Installation under UNIX/Linux

Execute REAP.installer and you are done.

```
sh REAP.installer
```

After the execution the Mathematica packages are copied to `~/.Mathematica/Applications/REAP` and the documentation and notebooks are in a subdirectory of the working directory, which is called REAP.

In addition, you have to install the package `MixingParameterTools`. There is also a script which installs both REAP and MPT at the same time: REAP_MPT.installer.

2.2 Semi-Automatic Installation under UNIX/Linux

Unpack the archive REAP.tar.gz.

```
tar -xvzf REAP.tar.gz
```

Then go to the directory REAPInstall and execute the script install.sh.

```
cd REAPInstall
sh ./install.sh
```

The script copies the Mathematica packages to `~/.Mathematica/Applications/REAP`. The documentation and some sample notebooks are placed in a new subdirectory of the working directory called REAP. Hence, the folder REAPInstall can be deleted now.

In addition, you have to install the package `MixingParameterTools`. REAP and MPT can be installed simultaneously by using the archive REAP_MPT.tar.gz. The procedure is completely analogous to the one described above.

2.3 Installation by Hand

In order to install the package(s) manually, unpack the archive REAP.tar.gz first. Under UNIX/Linux, type

```
tar -xvzf REAP.tar.gz
```

On Windows systems, a program like WinZip can be used. Then move the directory REAP from the folder REAPInstall to the directory where the Mathematica add-ons are located, e.g.

```
mv REAPInstall/REAP ~/.Mathematica/Applications/
```

under UNIX/Linux. Under Windows XP, the path to the add-on directory should be something like `Application Data\Mathematica\Applications`. The documentation and some sample notebooks can be found in `REAPInstall/Doc/REAP/`.

In addition, you have to install the package `MixingParameterTools`. To install both REAP and MPT at the same time, you can use the archive `REAP_MPT.tar.gz`. The procedure is the same as above (except that the installation directory is called `REAP_MPTInstall` now), supplemented by an analogous step for moving the MPT directory, e.g.

```
mv REAP_MPTInstall/MixingParameterTools ~/.Mathematica/Applications/
```

3 First Steps

The following simple example demonstrates how to calculate the RG evolution of the neutrino mass matrix in the MSSM extended by three heavy singlet neutrinos.

- (1) The package corresponding to the model at the highest energy has to be loaded. All other packages needed in the course of the calculation are loaded automatically.

```
Needs["REAP`RGEMSSM`"]
```

Note that ``` is the backquote, which is used in opening quotation marks, for example.

- (2) Next, we specify that we would like to use the MSSM with singlet neutrinos:

```
RGEAdd["MSSM"]
```

- (3) Now we have to provide the initial values. Here we use the default values of the package (see Sec. 5 for details) and a simple diagonal pattern for the neutrino Yukawa matrix.

```
RGESetInitial[2*10^16,RGEY[Nu]->{{1,0,0},{0,0.5,0},{0,0,0.1}}]
```

- (4) `RGESolve[low,high]` solves the RGEs between the energy scales `low` and `high`. The heavy singlets are integrated out automatically at their mass thresholds.

```
RGESolve[100,2*10^16]
```

- (5) Using `RGEGetSolution[scale,quantity]` we can query the value of the quantity given in the second argument at the energy given in the first one. For example, this returns the mass matrix of the light neutrinos at 100 GeV:

```
MatrixForm[RGEGetSolution[100,RGEM[Nu]]]
```

- (6) To find the leptonic mass parameters, we use the function `MNSParameters[m_ν, Y_e]` (which also needs the Yukawa matrix of the charged leptons). The results are given in the order $\{\{\theta_{12}, \theta_{13}, \theta_{23}, \delta, \delta_e, \delta_\mu, \delta_\tau, \varphi_1, \varphi_2\}, \{m_1, m_2, m_3\}, \{y_e, y_\mu, y_\tau\}\}$.

```
MNSParameters[RGEGetSolution[100,RGEM\Nu],RGEGetSolution[100,RGEYe]]
```

(7) Finally, we can plot the running of the mixing angles:

```
Needs["Graphics`Graphics`"]
mNu[x_] := RGEGetSolution[x, RGEM\Nu]
Ye[x_] := RGEGetSolution[x, RGEYe]
\Theta12[x_] := MNSParameters[mNu[x], Ye[x]] [[1, 1]]
\Theta13[x_] := MNSParameters[mNu[x], Ye[x]] [[1, 2]]
\Theta23[x_] := MNSParameters[mNu[x], Ye[x]] [[1, 3]]
LogLinearPlot[{\Theta12[x], \Theta13[x], \Theta23[x]}, {x, 100, 2*10^16}]
```

To produce nicer plots, the notebook RGEPlots.nb, which is included in the package, can be used.

In a second run, let us try some more modifications of the defaults. For example, model parameters can be changed by including a command after step (2):

```
RGESetOptions["MSSM", RGEtan\Beta]->20]
```

Furthermore, we set the SUSY breaking scale to 200 GeV and use the SM as an effective theory below this scale.

```
RGEAdd["SM", RGEcutoff->200]
```

The initial values of the neutrino mass parameters can be changed by adding replacement rules in step (3). For instance, to set the GUT-scale value of θ_{13} to 6° and the Majorana phases to 50° and 120° :

```
RGESetInitial[2*10^16,
  RGEY\Nu->{{1,0,0},{0,0.5,0},{0,0,0.1}},RGE\Theta13->6 Degree,
  RGE\CurlyPhi1->50 Degree,RGE\CurlyPhi2->120 Degree]
```

The results of the RG evolution with these parameters are now obtained by repeating the above steps (4)–(7).

4 Reference

4.1 Implementation details

REAP is divided in three parts. The main part is `RGESolver` which provides a standard interface between the different models and the user. Thus the user does not have to know anything about the implementation details of the different models besides the parameters of the models. The second part are the different models, like `RGESM`, `RGEMSSM`, ... which contain the model specific parts of the package. The third part is formed by some utility packages (`RGEUtilities`, `RGEParameters`, `RGEInitial`, `RGEFusaokaYukawa`, `RGESymbol`) which provide several useful functions to the different models. In principle, a user only needs a limited set of functions of `RGESolver`.

4.1.1 RGEAdd

`RGEAdd[model, options]` specifies that `model` should be used as an effective theory (EFT) up to a cutoff energy given in the `options`. If no cutoff is given, ∞ is used. `options` can also be used to specify various parameters such as $\tan\beta$. See Sec. 5 for a complete list of the models and options available.

```
RGEAdd["MSSM", RGEtan\Beta]->50]
RGEAdd["SM", RGEcutoff->10^3]
```

In this case, the MSSM with $\tan\beta = 50$ is used at high energies. Below 10^3 GeV (the SUSY breaking scale in this example), the SM is used as an EFT.

4.1.2 RGEGetOptions

`RGEGetOptions[model]` returns the options set by `RGEAdd` or `RGESetOptions` for the EFT model. Wildcards can be used in `model`.

```
RGEGetOptions["SM*"]
```

This returns the options which are currently set for all EFTs whose names start with “SM”.

4.1.3 RGEGetParameters

`RGEGetParameters[model]` returns the quantities that run in the model.

4.1.4 RGEGetSolution

`RGEGetSolution[scale,parameter]` returns the solution of the RGEs at the energy `scale`. The `parameter` (optional) specifies the quantity of interest (cf. Sec. 5 for the lists for each model). If no `parameter` is given, the values of all running quantities are returned.

```
RGEGetSolution[100,RGE\[Nu]]
```

returns the neutrino mass matrix at 100 GeV.

```
RGEGetSolution[100]
```

returns all parameters at 100 GeV.

4.1.5 RGEGetTransitions

`RGEGetTransitions[]` returns the transitions (thresholds) between the various EFTs in a list containing the energy scale, the model name and its options.

4.1.6 RGEReset

`RGEReset[]` removes all EFTs and resets all options which have been changed by `RGEAdd` or `RGESetOptions` to their default values.

4.1.7 RGESetInitial

`RGESetInitial[scale,initial conditions]` sets the initial values at the energy `scale`. They are entered as replacement rules and can also contain options (e.g. to select the neutrino mass hierarchy). See Sec. 5 for the names of the variables and options in the different models.

```
RGESetInitial[10^16,RGE\[Theta]13->4 Degree,RGEmightest->0.1]
```

This sets the initial values at 10^{16} GeV. The mixing angle θ_{13} is set to 4° , and the mass of the lightest neutrino to 0.1 eV. For the other parameters, the default values are used.

4.1.8 RGESetOptions

`RGESetOptions[model,options]` changes the options of the EFTs defined by `RGEAdd` with name matching `model` to `options`. Metacharacters, like `*` and `@`, are allowed in the name.

```
RGESetOptions["MSSM",RGEtan\[Beta]->40]
```

This sets $\tan\beta$ of the “MSSM” to 40. The EFT must have been added earlier by `RGEAdd["MSSM"]`. The other options are unchanged.

4.1.9 RGESolve

`RGESolve[low,high,options]` solves the RGEs between the energies `low` and `high`.

`RGESolve[100,1015]`

This solves the RGEs between 100 GeV and 10^{15} GeV.

5 Models

5.1 Standard Model (SM)

5.1.1 REAP ‘RGESM’

This package contains the Standard Model extended by an arbitrary number of right-handed neutrinos (SM) to 1 loop order. It is possible to automatically find transitions where heavy neutrinos are integrated out. However, quarks are not integrated out.

Options used by `RGESetInitial`:

If the default values of all parameters are used, the resulting parameters will be compatible to the experimental data at the Z boson mass. The number of right-handed neutrinos is given by the initial conditions. There is no need to specify the number of neutrinos somewhere else.

- `RGEM ν r` is the mass matrix of the right-handed neutrinos. If this parameter is specified, it also determines the light neutrino mass matrix via the see-saw formula (together with `RGEY ν`). Thus, `RGEMassHierarchy`, `RGEMlightest`, `RGE Δ m2atm`, `RGE Δ m2sol`, `RGE φ 1`, `RGE φ 2`, `RGE δ` , `RGE δ e`, `RGE δ μ` , `RGE δ τ` , `RGE θ 12`, `RGE θ 13`, and `RGE θ 23` do not have any effect in this case.
- `RGEMassHierarchy` is the hierarchy of the neutrino masses; "r" or "n" means normal hierarchy, "i" means inverted hierarchy (default: "r").
- `RGEMlightest` is the mass of the lightest neutrino in eV (default: $\mathcal{O}(0.01)$ eV).
- `RGEY ν` is the neutrino Yukawa matrix in "RL convention". This option overrides the built-in Yukawa matrix, i.e. `RGEY ν 33` and `RGEY ν Ratio` do not have any effect.
- `RGEY ν 33` is the (3,3) entry in the neutrino Yukawa matrix at the GUT scale.
- `RGEY ν Ratio` determines the relative value of the neutrino Yukawa couplings.
- `RGEYd` is the Yukawa matrix of the down-type quarks. If this parameter is given, `RGEyd`, `RGEys`, `RGEyb`, `RGEq φ 1`, `RGEq φ 2`, `RGEq δ` , `RGEq δ e`, `RGEq δ μ` , `RGEq δ τ` , `RGEq θ 12`, `RGEq θ 13`, and `RGEq θ 23` are ignored.
- `RGEYe` is the charged lepton Yukawa matrix. If this parameter is given, `RGEye`, `RGEy μ` and `RGEy τ` are ignored.
- `RGEYu` is the Yukawa matrix of the up-type quarks. If this parameter is given, `RGEyu`, `RGEyc` and `RGEyt` are ignored; it is recommended not to use `RGEq φ 1`, `RGEq φ 2`, `RGEq δ` , `RGEq δ e`, `RGEq δ μ` , `RGEq δ τ` , `RGEq θ 12`, `RGEq θ 13`, and `RGEq θ 23` in this case, since they are not necessarily equal to the CKM mixing parameters.
- `RGE Δ m2atm` is the atmospheric mass squared difference (default: $\mathcal{O}(10^{-3})$ eV²).
- `RGE Δ m2sol` is the solar mass squared difference (default: $\mathcal{O}(10^{-4})$ eV²).
- `RGE φ 1` and `RGE φ 2` are the Majorana CP phases φ_1 and φ_2 in radians (default: 0).
- `RGE δ` is the Dirac CP phase δ in radians (default: 0).

- $\text{RGE}\delta_e$, $\text{RGE}\delta_\mu$ and $\text{RGE}\delta_\tau$ are the unphysical phases δ_e , δ_μ and δ_τ (default: 0).
- $\text{RGE}\kappa$ is the coupling of the dimension 5 neutrino mass operator.
- $\text{RGE}\lambda$ is the quartic Higgs self-coupling (default: 0.5). We use the convention that the corresponding term in the Lagrangian is $-\frac{\lambda}{4}(\phi^\dagger\phi)^2$.
- $\text{RGE}\theta_{12}$, $\text{RGE}\theta_{13}$ and $\text{RGE}\theta_{23}$ are the angles θ_{12} , θ_{13} and θ_{23} of the MNS matrix in radians. (default: $\theta_{13} = 0$ and $\theta_{23} = \frac{\pi}{4}$). The default of θ_{12} depends on the model. It is chosen in such a way, that the parameters are compatible with the experimental data.
- $\text{RGE}g$ $\text{RGE}g$ is the coupling constants of $\text{SU}(5)$
- $\text{RGE}g_1$, $\text{RGE}g_2$ and $\text{RGE}g_3$ are the coupling constants of $\text{U}(1)_Y$, $\text{SU}(2)_L$ and $\text{SU}(3)_C$, respectively. GUT charge normalization is used for g_1 .
- $\text{RGE}m$ $\text{RGE}m$ is the Higgs mass
- $\text{RGE}\varphi_1$ and $\text{RGE}\varphi_2$ are the unphysical phases φ_1 and φ_2 of the CKM matrix which correspond to the Majorana phases in the MNS matrix (default: 0).
- $\text{RGE}\delta$ is the Dirac CP phase δ of the CKM matrix.
- $\text{RGE}q\delta_e$, $\text{RGE}q\delta_\mu$ and $\text{RGE}q\delta_\tau$ are the unphysical phases δ_e , δ_μ and δ_τ of the CKM matrix (default: 0).
- $\text{RGE}q\theta_{12}$, $\text{RGE}q\theta_{13}$ and $\text{RGE}q\theta_{23}$ are the angles of the CKM matrix.
- $\text{RGE}y_d$, $\text{RGE}y_s$ and $\text{RGE}y_b$ are the Yukawa coupling of the down-type quarks d , s and b .
- $\text{RGE}y_e$, $\text{RGE}y_\mu$ and $\text{RGE}y_\tau$ are the Yukawa couplings of the charged leptons e , μ and τ .
- $\text{RGE}y_u$, $\text{RGE}y_c$ and $\text{RGE}y_t$ are the Yukawa couplings of the up-type quarks u , c and t .

Parameters accepted by `RGEGetSolution`:

- `RGECoupling` is used to get the coupling constants.
- `RGEGWCondition` returns the Gildener Weinberg condition.
- `RGEGWConditions` returns all Gildener Weinberg conditions.
- `RGEM ν` is used to get the mass matrix of the left-handed neutrinos.
- `RGEM ν r` is the mass matrix of the right-handed neutrinos.
- `RGEMd` is used to get the mass matrix of the down-type quarks.
- `RGEMe` is used to get the mass matrix of the charged leptons.
- `RGEMu` is used to get the mass matrix of the up-type quarks.
- `RGERawY Δ` is used to get the Yukawa coupling matrix of the coupling to the Higgs triplet.
- `RGEAll` returns all parameters of the model.
- `RGEVEVratio` returns the squared ratio of v_R over the EW symmetry breaking scale.
- `RGEVEVratios` returns the squared ratio of v_R over the EW symmetry breaking scale.
- `RGEY ν` is used to get the Yukawa coupling matrix of the neutrinos.
- `RGEYd` is used to get the Yukawa coupling matrix of the down-type quarks.

- `RGEYe` is used to get the Yukawa coupling matrix of the charged leptons.
- `RGEYu` is used to get the Yukawa coupling matrix of the up-type quarks.
- `RGE α` is used to get the fine structure constants.
- `RGE λ` is used to get the quartic Higgs self coupling.

5.1.2 REAP ‘RGESMON’

This package contains the Standard Model without any right-handed neutrinos (SMON) to 1 loop order.

It has the same parameters and options as `RGESM`, with the following exceptions: The only missing options are `RGEIntegratedOut`, `RGESearchTransition`, `RGEThresholdFactor`, `RGEPrecision` and `RGEMaxNumberIterations`, which are used to control the process of integrating out. Besides, `RGEM ν r` and `RGEY ν` are no parameters of `RGESetInitial`, and `RGE ϵ Max`, `RGE ϵ` , `RGEM1Tilde`, `RGERawM ν r` and `RGERawY ν` are not accepted as parameters by `RGEGetSolution`. `RGESetInitial` has an additional option: `RGESuggestion` can be used to choose between different sets of default values, “GUT” (default) and “MZ”. They refer to typical parameter values at the GUT scale or at the Z mass, respectively.

5.1.3 REAP ‘RGESMDirac’

This package contains the Standard Model with Dirac Neutrinos to 1 loop order.

It has the same parameters and options as `RGESM`, with the following exceptions: The only missing options are `RGEIntegratedOut`, `RGESearchTransition`, `RGEThresholdFactor`, `RGEPrecision` and `RGEMaxNumberIterations`, which are used to control the process of integrating out. In addition `RGE κ` and `RGEM ν r` are no parameters of `RGESetInitial` and `RGEMixingParameters`, `RGE ϵ Max`, `RGE ϵ` , `RGEM1Tilde`, `RGERawM ν r`, `RGERawY ν` and `RGE κ` are not accepted as parameters by `RGEGetSolution`. `RGESetInitial` has an additional option: `RGESuggestion` can be used to choose between different sets of default values, “GUT” (default) and “MZ”. They refer to typical parameter values at the GUT scale or at the Z mass, respectively.

5.2 Minimal Supersymmetric Standard Model (MSSM)

5.2.1 REAP ‘RGEMSSM’

This package contains the Minimal Supersymmetric Standard Model extended by an arbitrary number of right-handed neutrinos (MSSM) to 1 and 2 loop order.

It is possible to automatically find transitions where heavy neutrinos are integrated out. But neither quarks are integrated out nor MSSM thresholds are considered.

Options:

- `RGETan β` is the value of $\tan \beta = \frac{v_u}{v_d}$, the ratio of the 2 Higgs vevs (default: 50).

Options used by `RGESetInitial`:

If the default values of all parameters are used, the resulting parameters will be compatible to the experimental data at the Z boson mass. The number of right-handed neutrinos is given by the initial conditions. There is no need to specify the number of neutrinos somewhere else.

- `RGEM ν r` is the mass matrix of the right-handed neutrinos. If this parameter is specified, it also determines the light neutrino mass matrix via the see-saw formula (together with `RGEY ν`). Thus, `RGEMassHierarchy`, `RGEMlightest`, `RGE Δ m2atm`, `RGE Δ m2sol`, `RGE φ 1`, `RGE φ 2`, `RGE δ` , `RGE δ e`, `RGE δ μ` , `RGE δ τ` , `RGE θ 12`, `RGE θ 13`, and `RGE θ 23` do not have any effect in this case.

- RGE`MassHierarchy` is the hierarchy of the neutrino masses; "r" or "n" means normal hierarchy, "i" means inverted hierarchy (default: "r").
- RGE`Mlightest` is the mass of the lightest neutrino in eV (default: $\mathcal{O}(0.01)$ eV).
- RGE`Y ν` is the neutrino Yukawa matrix in "RL convention". This option overrides the built-in Yukawa matrix, i.e. RGE`Y ν 33` and RGE`Y ν Ratio` do not have any effect.
- RGE`Y ν 33` is the (3,3) entry in the neutrino Yukawa matrix at the GUT scale.
- RGE`Y ν Ratio` determines the relative value of the neutrino Yukawa couplings.
- RGE`Yd` is the Yukawa matrix of the down-type quarks. If this parameter is given, RGE`Yd`, RGE`Ys`, RGE`Yb`, RGE`q φ 1`, RGE`q φ 2`, RGE`q δ` , RGE`q δ e`, RGE`q δ μ` , RGE`q δ τ` , RGE`q θ 12`, RGE`q θ 13`, and RGE`q θ 23` are ignored.
- RGE`Ye` is the charged lepton Yukawa matrix. If this parameter is given, RGE`Ye`, RGE`y μ` and RGE`y τ` are ignored.
- RGE`Yu` is the Yukawa matrix of the up-type quarks. If this parameter is given, RGE`yu`, RGE`yc` and RGE`yt` are ignored; it is recommended not to use RGE`q φ 1`, RGE`q φ 2`, RGE`q δ` , RGE`q δ e`, RGE`q δ μ` , RGE`q δ τ` , RGE`q θ 12`, RGE`q θ 13`, and RGE`q θ 23` in this case, since they are not necessarily equal to the CKM mixing parameters.
- RGE `Δ m2atm` is the atmospheric mass squared difference (default: $\mathcal{O}(10^{-3})$ eV²).
- RGE `Δ m2sol` is the solar mass squared difference (default: $\mathcal{O}(10^{-4})$ eV²).
- RGE `φ 1` and RGE `φ 2` are the Majorana CP phases φ_1 and φ_2 in radians (default: 0).
- RGE `δ` is the Dirac CP phase δ in radians (default: 0).
- RGE `δ e`, RGE `δ μ` and RGE `δ τ` are the unphysical phases δ_e , δ_μ and δ_τ (default: 0).
- RGE `κ` is the coupling of the dimension 5 neutrino mass operator.
- RGE `θ 12`, RGE `θ 13` and RGE `θ 23` are the angles θ_{12} , θ_{13} and θ_{23} of the MNS matrix in radians. (default: $\theta_{13} = 0$ and $\theta_{23} = \frac{\pi}{4}$). The default of θ_{12} depends on the model. It is chosen in such a way, that the parameters are compatible with the experimental data.
- RGE`g` RGE`g` is the coupling constants of SU(5)
- RGE`g1`, RGE`g2` and RGE`g3` are the coupling constants of U(1)_Y, SU(2)_L and SU(3)_C, respectively. GUT charge normalization is used for g_1 .
- RGE`m` RGE`m` is the Higgs mass
- RGE`q φ 1` and RGE`q φ 2` are the unphysical phases φ_1 and φ_2 of the CKM matrix which correspond to the Majorana phases in the MNS matrix (default: 0).
- RGE`q δ` is the Dirac CP phase δ of the CKM matrix.
- RGE`q δ e`, RGE`q δ μ` and RGE`q δ τ` are the unphysical phases δ_e , δ_μ and δ_τ of the CKM matrix (default: 0).
- RGE`q θ 12`, RGE`q θ 13` and RGE`q θ 23` are the angles of the CKM matrix.
- RGE`yd`, RGE`ys` and RGE`yb` are the Yukawa coupling of the down-type quarks d , s and b .
- RGE`ye`, RGE`y μ` and RGE`y τ` are the Yukawa couplings of the charged leptons e , μ and τ .
- RGE`yu`, RGE`yc` and RGE`yt` are the Yukawa couplings of the up-type quarks u , c and t .

Parameters accepted by `RGEGetSolution`:

- `RGECoupling` is used to get the coupling constants.
- `RGEGWCondition` returns the Gildener Weinberg condition.
- `RGEGWConditions` returns all Gildener Weinberg conditions.
- `RGEM ν` is used to get the mass matrix of the left-handed neutrinos.
- `RGEM ν r` is the mass matrix of the right-handed neutrinos.
- `RGEMd` is used to get the mass matrix of the down-type quarks.
- `RGEMe` is used to get the mass matrix of the charged leptons.
- `RGEMu` is used to get the mass matrix of the up-type quarks.
- `RGERawY Δ` is used to get the Yukawa coupling matrix of the coupling to the Higgs triplet.
- `RGEAll` returns all parameters of the model.
- `RGEVEVratio` returns the squared ratio of v_R over the EW symmetry breaking scale.
- `RGEVEVratios` returns the squared ratio of v_R over the EW symmetry breaking scale.
- `RGEY ν` is used to get the Yukawa coupling matrix of the neutrinos.
- `RGEYd` is used to get the Yukawa coupling matrix of the down-type quarks.
- `RGEYe` is used to get the Yukawa coupling matrix of the charged leptons.
- `RGEYu` is used to get the Yukawa coupling matrix of the up-type quarks.
- `RGE α` is used to get the fine structure constants.
- `RGE κ` is used to get κ .

5.2.2 REAP ‘`RGEMSSMON`’

This package contains the Minimal Supersymmetric Standard Model (MSSM) without any right-handed neutrinos to 1 and 2 loop order.

It has the same parameter and options as `RGEMSSM`. The only missing options are `RGEIntegratedOut`, `RGESearchTransition`, `RGEThresholdFactor`, `RGEPrecision` and `RGEMaxNumberIterations`, which are used to control the process of integrating out. In addition `RGEM ν` and `RGEY ν` are no parameters of `RGESetInitial` and `RGE ϵ Max`, `RGE ϵ` , `RGEM1Tilde`, `RGERawM ν` and `RGERawY ν` are not accepted as parameters by `RGEGetSolution`.

5.2.3 REAP ‘`RGEMSSMDirac`’

This package contains the MSSM with Dirac Neutrinos to 1 loop order and 2 loop order.

It has the same parameter and options as `RGEMSSM`. The only missing options are `RGEIntegratedOut`, `RGESearchTransition`, `RGEThresholdFactor`, `RGEPrecision` and `RGEMaxNumberIterations`, which are used to control the process of integrating out. In addition `RGEM ν` and `RGE κ` are no parameter of `RGESetInitial` and `RGEMixingParameters`, `RGE ϵ Max`, `RGE ϵ` , `RGEM1Tilde`, `RGERawM ν` , `RGERawY ν` and `RGE κ` are not accepted as parameters by `RGEGetSolution`.

5.3 Two Higgs Doublet Model (2HDM)

5.3.1 REAP ‘RGE2HDM’

This package contains the Two Higgs Doublet Model (2HDM) with a \mathbb{Z}_2 symmetry extended by an arbitrary number of right-handed neutrinos. The charged leptons always couple to the first Higgs. In addition there are right-handed neutrinos. The β -functions are to 1 loop order. The vevs of the Higgs fields are $v_1 = \langle \phi_1 \rangle$ and $v_2 = \langle \phi_2 \rangle$. They obey $v^2 = v_1^2 + v_2^2$, $v_1 = v \cos \beta$ and $v_2 = v \sin \beta$, where v is the v.e.v. of the SM Higgs and β ($\tan \beta = \frac{v_2}{v_1}$, $\beta \in (0, \frac{\pi}{2})$) is used to parametrize the Higgs vevs.

Thus there are 2 dimension 5 operators which give mass to the light neutrinos.

$$\mathcal{L}_\kappa^{(ii)} = \frac{1}{4} \kappa_{gf}^{(ii)} \overline{l_{Lc}^g} \epsilon^{cd} \phi_d^{(i)} l_{Lb}^f \epsilon^{ba} \phi_a^{(i)} + \text{h.c.} \quad (i = 1 \text{ or } 2)$$

The Higgs potential is

$$\begin{aligned} \mathcal{L}_{2Higgs} = & -\frac{\lambda_1}{4} \left(\phi^{(1)\dagger} \phi^{(1)} \right)^2 - \frac{\lambda_2}{4} \left(\phi^{(2)\dagger} \phi^{(2)} \right)^2 \\ & - \lambda_3 \left(\phi^{(1)\dagger} \phi^{(1)} \right) \left(\phi^{(2)\dagger} \phi^{(2)} \right) - \lambda_4 \left(\phi^{(1)\dagger} \phi^{(2)} \right) \left(\phi^{(2)\dagger} \phi^{(1)} \right) \\ & - \left[\frac{\lambda_5}{4} \left(\phi^{(1)\dagger} \phi^{(2)} \right)^2 + \text{h.c.} \right] \end{aligned}$$

The charged leptons always couple to the first Higgs field and the coupling of the other fields to the Higgs fields is determined by `RGEModelOptions`.

It is possible to automatically find transitions where heavy neutrinos are integrated out. But no other particles are integrated out.

Options:

- `RGEtan β` is the value of $\tan \beta = \frac{v_2}{v_1}$, the ratio of the 2 Higgs vevs (default: 50).
- `RGEz ν` is a list defining the Higgs the neutrinos are coupling to. If the n^{th} component is one, the Higgs couples to the neutrinos. If it is 0, it won't couple (default: $\{0, 1\}$). The charged leptons always couple to the first Higgs.
- `RGEzd` is a list defining the Higgs the down-type quarks are coupling to. If the n^{th} component is one, the Higgs couples to the down-type quarks. If it is 0, it won't couple (default: $\{1, 0\}$).
- `RGEzu` is a list defining the Higgs the up-type quarks are coupling to. If the n^{th} component is one, the Higgs couples to the up-type quarks. If it is 0, it won't couple (default: $\{0, 1\}$).

Options used by `RGESetInitial`:

If the default values of all parameters are used, the resulting parameters will be compatible to the experimental data at the Z boson mass. The number of right-handed neutrinos is given by the initial conditions. There is no need to specify the number of neutrinos somewhere else.

- `RGEM ν r` is the mass matrix of the right-handed neutrinos. If this parameter is specified, it also determines the light neutrino mass matrix via the see-saw formula (together with `RGEY ν`). Thus, `RGEMassHierarchy`, `RGEMlightest`, `RGE Δ m2atm`, `RGE Δ m2sol`, `RGE φ 1`, `RGE φ 2`, `RGE δ` , `RGE δ e`, `RGE δ μ` , `RGE δ τ` , `RGE θ 12`, `RGE θ 13`, and `RGE θ 23` do not have any effect in this case.
- `RGEMassHierarchy` is the hierarchy of the neutrino masses; "r" or "n" means normal hierarchy, "i" means inverted hierarchy (default: "r").
- `RGEMlightest` is the mass of the lightest neutrino in eV (default: $\mathcal{O}(0.01)$ eV).

- RGEY ν is the neutrino Yukawa matrix in “RL convention”. This option overrides the built-in Yukawa matrix, i.e. RGEY ν 33 and RGEY ν Ratio do not have any effect.
- RGEY ν 33 is the (3,3) entry in the neutrino Yukawa matrix at the GUT scale.
- RGEY ν Ratio determines the relative value of the neutrino Yukawa couplings.
- RGEYd is the Yukawa matrix of the down-type quarks. If this parameter is given, RGEyd, RGEys, RGEyb, RGEq φ 1, RGEq φ 2, RGEq δ , RGEq δ e, RGEq δ μ , RGEq δ τ , RGEq θ 12, RGEq θ 13, and RGEq θ 23 are ignored.
- RGEYe is the charged lepton Yukawa matrix. If this parameter is given, RGEye, RGEy μ and RGEy τ are ignored.
- RGEYu is the Yukawa matrix of the up-type quarks. If this parameter is given, RGEyu, RGEyc and RGEyt are ignored; it is recommended not to use RGEq φ 1, RGEq φ 2, RGEq δ , RGEq δ e, RGEq δ μ , RGEq δ τ , RGEq θ 12, RGEq θ 13, and RGEq θ 23 in this case, since they are not necessarily equal to the CKM mixing parameters.
- RGE Δ m2atm is the atmospheric mass squared difference (default: $\mathcal{O}(10^{-3})\text{eV}^2$).
- RGE Δ m2sol is the solar mass squared difference (default: $\mathcal{O}(10^{-4})\text{eV}^2$).
- RGE φ 1 and RGE φ 2 are the Majorana CP phases φ_1 and φ_2 in radians (default: 0).
- RGE δ is the Dirac CP phase δ in radians (default: 0).
- RGE δ e, RGE δ μ and RGE δ τ are the unphysical phases δ_e , δ_μ and δ_τ (default: 0).
- RGE κ 1 is the coupling of the dimension 5 operator associated with the first Higgs in the 2HDM.
- RGE κ 2 is the coupling of the dimension 5 operator associated with the second Higgs in the 2HDM.
- RGE λ 1, RGE λ 2, RGE λ 3, RGE λ 4 and RGE λ 5 are the parameters λ_1 , λ_2 , λ_3 , λ_4 and λ_5 in the Higgs potential (default: $\lambda_1 = \lambda_2 = 0.75$, $\lambda_3 = \lambda_4 = 0.2$, $\lambda_5 = 0.25$).
- RGE θ 12, RGE θ 13 and RGE θ 23 are the angles θ_{12} , θ_{13} and θ_{23} of the MNS matrix in radians. (default: $\theta_{13} = 0$ and $\theta_{23} = \frac{\pi}{4}$). The default of θ_{12} depends on the model. It is chosen in such a way, that the parameters are compatible with the experimental data.
- RGEg RGEg is the coupling constants of SU(5)
- RGEg1, RGEg2 and RGEg3 are the coupling constants of U(1) $_Y$, SU(2) $_L$ and SU(3) $_C$, respectively. GUT charge normalization is used for g_1 .
- RGE m RGE m is the Higgs mass
- RGEq φ 1 and RGEq φ 2 are the unphysical phases φ_1 and φ_2 of the CKM matrix which correspond to the Majorana phases in the MNS matrix (default: 0).
- RGEq δ is the Dirac CP phase δ of the CKM matrix.
- RGEq δ e, RGEq δ μ and RGE δ τ are the unphysical phases δ_e , δ_μ and δ_τ of the CKM matrix (default: 0).
- RGEq θ 12, RGEq θ 13 and RGEq θ 23 are the angles of the CKM matrix.
- RGEyd, RGEys and RGEyb are the Yukawa coupling of the down-type quarks d , s and b .
- RGEye, RGEy μ and RGEy τ are the Yukawa couplings of the charged leptons e , μ and τ .

- `RGEyu`, `RGEyc` and `RGEyt` are the Yukawa couplings of the up-type quarks u , c and t .

Parameters accepted by `RGEGetSolution`:

- `RGECoupling` is used to get the coupling constants.
- `RGEGWCondition` returns the Gildener Weinberg condition.
- `RGEGWConditions` returns all Gildener Weinberg conditions.
- `RGEM ν` is used to get the mass matrix of the left-handed neutrinos.
- `RGEM ν r` is the mass matrix of the right-handed neutrinos.
- `RGEMd` is used to get the mass matrix of the down-type quarks.
- `RGEMe` is used to get the mass matrix of the charged leptons.
- `RGEMu` is used to get the mass matrix of the up-type quarks.
- `RGERawY Δ` is used to get the Yukawa coupling matrix of the coupling to the Higgs triplet.
- `RGEAll` returns all parameters of the model.
- `RGEVEVratio` returns the squared ratio of v_R over the EW symmetry breaking scale.
- `RGEVEVratios` returns the squared ratio of v_R over the EW symmetry breaking scale.
- `RGEY ν` is used to get the Yukawa coupling matrix of the neutrinos.
- `RGEYd` is used to get the Yukawa coupling matrix of the down-type quarks.
- `RGEYe` is used to get the Yukawa coupling matrix of the charged leptons.
- `RGEYu` is used to get the Yukawa coupling matrix of the up-type quarks.
- `RGE α` is used to get the fine structure constants.
- `RGE κ 1` is the parameter of the dimension 5 operator associated with the first Higgs in the 2HDM.
- `RGE κ 2` is the parameter of the dimension 5 operator associated with the second Higgs in the 2HDM.
- `RGE λ` is used to get the Higgs couplings.

5.3.2 REAP ‘RGE2HDMON‘

This package contains the Two Higgs Doublet Model (2HDM) with a \mathbb{Z}_2 symmetry without right-handed neutrinos.

It has the same parameters and options as `RGE2HDM`, with the following exceptions: The only missing options are `RGEIntegratedOut`, `RGESearchTransition`, `RGEThresholdFactor`, `RGEPrecision` and `RGEMaxNumberIterations`, which are used to control the process of integrating out. In addition `RGEM ν r` and `RGEY ν` are no parameters of `RGESetInitial` and `RGE ν Tilde`, `RGERawM ν r` and `RGERawY ν` are not accepted as parameters by `RGEGetSolution`. `RGESetInitial` has an additional option: `RGESuggestion` can be used to choose between different sets of default values, “GUT” (default) and “MZ”. They refer to typical parameter values at the GUT scale or at the Z mass, respectively.

5.3.3 REAP ‘RGE2HDMDirac’

This package contains the 2HDM with Dirac neutrinos to 1 loop order.

It has the same parameters and options as RGE2HDM, with the following exceptions: The only missing options are RGEIntegratedOut, RGEsearchTransition, RGEThresholdFactor, RGEPrecision and RGEMaxNumberIterations, which are used to control the process of integrating out. In addition RGE $M_{\nu r}$, RGE $\kappa 1$ and RGE $\kappa 2$ are no parameter of RGEsetInitial and RGEmixing-Parameters, RGE $M1$ Tilde, RGERaw $M_{\nu r}$, RGERaw Y_{ν} , RGE $\kappa 1$ and RGE $\kappa 2$ are not accepted as parameters by RGEgetSolution. RGEsetInitial has an additional option: RGESuggestion can be used to choose between different sets of default values, “GUT” (default) and “MZ”. They refer to typical parameter values at the GUT scale or at the Z mass, respectively.

6 Frequently Asked Questions and their Answers (FAQ)

6.1 Physics Questions

6.1.1 How can I have more or less than 3 right-handed neutrinos?

The default initial values have 3 right-handed neutrinos but you can define a model with an arbitrary number of right-handed neutrinos by changing the initial values for the right-handed neutrino mass matrix and the Yukawa couplings of the neutrinos.

6.1.2 How are neutrino mixing parameters defined above the see-saw scale?

In order to define mass and mixing parameters as functions of the renormalization scale μ above the highest see-saw scale, we consider the effective light neutrino mass matrix

$$m_{\nu}(\mu) = -\frac{v^2}{2} Y_{\nu}^T(\mu) M^{-1}(\mu) Y_{\nu}(\mu), \quad (6.1)$$

where Y_{ν} and M are μ -dependent. (We do not take into account the running of the Higgs vev.) m_{ν} is the mass matrix of the three light neutrinos as obtained from block-diagonalizing the complete 6×6 (for 3 singlet neutrinos) neutrino mass matrix, following the standard see-saw calculation. The energy-dependent mixing parameters are obtained from $m_{\nu}(\mu)$ and the running charged lepton Yukawa matrix $Y_e(\mu)$. Between the see-saw scales or in a type II see-saw, there is an additional contribution to m_{ν} from the dimension 5 neutrino mass operator.

6.1.3 How can I obtain the CP asymmetry for leptogenesis?

The CP asymmetry in the case of thermal leptogenesis (in the limit $M_1 \ll M_2, M_3$) is implemented as output function in REAP. It can be obtained in the SM and MSSM by

```
RGEgetSolution[M_1, RGE[Epsilon]1,1] .
```

The CP asymmetry is not implemented for other leptogenesis scenarios. However, the relevant quantities can be obtained via RGEgetSolution. See the notebook RGETemplate.nb for an example.

6.2 Implementation Details

6.2.1 I added the “SM” with RGEAdd[‘SM’,RGEcutoff->1000], but RGEsetOptions[‘SM’,RGE λ ->0.3] does not have any effect. Is this an error?

This is no error, but sometimes the EFT’s are changed in such a way that the whole model is consistent. In this case the “SM” was changed to “SM0N”, because all right-handed neutrinos are integrated out above 1000 GeV. You can use RGEsetOptions[‘SM*’,RGE λ ->0.3] to change RGE λ in “SM” and “SM0N” at the same time. Then you do not have to care whether all neutrinos have been integrated out.

6.2.2 I want to change the Standard Model Higgs vev in all EFT's.

You can use wildcards with `RGESetOptions`, `RGESetEFTOptions`, `RGESetModelOptions`, `RGEGetOptions`, `RGEGetEFTOptions` and `RGEGetModelOptions`, because the name you enter is matched with `StringMatchQ`. See the documentation of Mathematica for the possible wildcards.

6.2.3 RGEAll does not work in “*0N”

`RGEGetSolution[Scale,RGEAll]` returns all parameters used in a see-saw model. Thus, Y_ν and M_{ν_R} are returned in addition to the parameters valid in a model without right-handed neutrinos. However, an error message will be produced, unless there are right-handed neutrinos at a higher scale, because `RGEGetSolution` obtains the values of Y_ν and M_{ν_R} recursively by determining the values at the cutoff. `RGERaw` which returns the parameters valid in “*0N” can be used instead of `RGEAll`, if Y_ν and M_{ν_R} are not defined.

6.2.4 Sometimes there are errors when RGESolve is executed twice.

`RGESolve` adds new EFT's to the model. This is in conflict with the automatic detection of transitions.

The simplest workaround is either to set `RGERemoveAutoGeneratedEntries`, an option of `RGESolve`, to 'True' (This is the default value of this option.) or if this does not help, make sure that `RGEReset` is executed before `RGESolve` is executed again.

6.2.5 RGEGetSolution does not return the leptogenesis parameters at the lightest right-handed neutrino mass.

In order to get e.g. the CP asymmetry ϵ_1 at the mass of the lightest right-handed neutrino `MR1`, use

```
RGEGetSolution[MR1,RGE[Epsilon]1,1]
```

The additional `,1` tells `RGEGetSolution` to use the EFT valid immediately above the energy `MR1` for returning the value of `RGE ϵ 1`. This is necessary because the leptogenesis parameters are not defined in the EFT without right-handed neutrinos that is valid below `MR1` and that would be used by `RGEGetSolution` by default.

6.2.6 What will happen, if RGEye, RGEy μ and RGEy τ are passed to RGESetInitial in addition to the matrix RGEYe?

Generally, the matrices will be taken first and only if there is no matrix specified, the matrix is built from the specified eigenvalues and angles. In particular, `RGEYe` defines the Yukawa coupling matrix of the charged leptons if specified, and the eigenvalues `RGEye` etc. are not used then. The same applies for all other Yukawa coupling matrices.

6.2.7 Changing the value of RGE θ 12 doesn't have any effect.

If the parameter `RGEM ν r` is specified in `RGESetInitial`, it determines the effective mass matrix m_ν of the light neutrinos (together with `RGEY ν`) via the see-saw formula. Therefore, all options affecting m_ν such as `RGE θ 12`, `RGEMlightest` etc. do not have any effect in this case. If you would like to use these options, you have to remove the replacement rule for `RGEM ν r`.